

Certificate of Compliance

Certificate Number(s):

UL-US-L516028-081111-
61900202-6

Report Reference:

E516028-20200916

Issue Date:

2026-06-12

Issued to:

Lapp Connector Works Dongguan Co. Ltd.
Room 401, building 2, No.2 3rd North Road, Tingshan square,
Houjie Town, Dongguan, Guangdong, 523943, CN

This certificate confirms that representative samples of:

CYJV - Cable Assemblies and Fittings for Industrial Control and Signal Distribution

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

UL 2238, Edition 3, Issue Date 2018-10-02, Revision Date 2025-12-23

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-US-L516028-081111-61900202-6
Report reference: E516028-20200916
Issue Date: 2026-06-12

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Double Ended Cable Assemblies, Factory Molded-on, M12 Series:

Model(s): Cat. No. MC, followed by 03, 04, 05 or 08, followed by C3, C4 or C5, followed by R or L, followed by S or C, followed by A, B, D, K, L or X, *followed by S or blank, followed by B, followed by any digit of characters or BLANK.*

Female Cable Fitting

Model(s): MB, followed by 03 or 04, followed by C2, followed by any digit of characters or BLANK

Female Cable Fitting, Molded-on, M12 Series, A Code:

Model(s): Cat. No. MC or EPIC MC, followed by 03, 04, 05 or 08, followed by C2, followed by R or L, followed by S, followed by A, *followed by S or blank, followed by B, followed by any digit of characters or BLANK.*

Male Cable Fitting

Model(s): MB, followed by 03 or 04, followed by C1, followed by any digit of characters or BLANK

Male Cable Fitting, Molded-on, M12 Series, A Code:

Model(s): Cat. No. MC or EPIC MC, followed by 03, 04, 05 or 08, followed by C1, followed by R or L, followed by S, followed by A, *followed by S or blank, followed by B, followed by any digit of characters or BLANK.*

Male and Female Cable Fitting, Molded-on, M12 Series K code and L code:

Model(s): Cat. No. MC or EPIC MC, followed by 04, 05, followed by C1 or C2, followed by R or L, followed by C, followed by K or L, *followed by S or blank, followed by any digit of characters or blank.*

Male and Female Cable Fitting, Molded-on, M12 Series X code:

Model(s): Cat. No. MC or EPIC MC, followed by 08, followed by C1 or C2, followed by R or L, followed by S, followed by X, *followed by S or blank, followed by B, followed by any digit of characters or blank.*

Male and Female Cable Fitting, Molded-on, M12 Series, B code:

Model(s): Cat. No. MC or EPIC MC, followed by 05, followed by C1 or C2, followed by R or L, followed by S, followed by B, *followed by S, followed by B, followed by any digit of characters or BLANK.*

Male and Female Cable Fitting, Molded-on, M12 Series, D code:

Model(s): Cat. No. MC or EPIC MC, followed by 04, followed by C1 or C2, followed by R or L, followed by S, followed by D, *followed by S, followed by B, followed by any digit of characters or BLANK.*

Male and Female Cable Fittings, Assembled-on, M12 Series:

Model(s): MC03A1, MC03A2, MC04A1, MC04A2, MC05A1, MC05A1L, MC05A2, MC05A2L, MC08A1, MC08A2

Male and Female Cable Fittings, Assembled-on, M8 Series:

Model(s): MB03A1, MB03A2, MB04A1, MB04A2

Male and Female Cable Fittings, Molded-on, M12 series:

Model(s): MC05C1LCK, MC05C1LCKS, EPIC MC05C1LCK, MC05C1LCL, MC05C1LCLS, EPIC MC05C1LCL, MC05C2LCK, MC05C2LCKS, EPIC MC05C2LCK, MC05C2LCL, MC05C2LCLS, EPIC MC05C2LCL, MC08C1LSX, EPIC MC08C1LSX, MC08C2LSX, EPIC MC08C2LSX

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-US-L516028-081111-61900202-6
Report reference: E516028-20200916
Issue Date: 2026-06-12

Male and Female Cable Fittings, Molded-on, M8 series:

Model(s): MB05C1, MB05C2

Panel-Mounted Inlet

Model(s): MB, followed by 03 or 04, followed by P1 or P3, followed by any digit of characters or BLANK, MC, followed by 04, 05 or 08, followed by P1 or P3, followed by any digit of characters or BLANK

Panel-Mounted Inlet and Outlet, M12 Series:

Model(s): MC05P1LCK, MC05P1LCL, MC05P2LCK, MC05P2LCL, MC05P3LCK, MC05P3LCL, MC05P4LCK, MC05P4LCL, MC08P2LPX

Panel-Mounted Inlet and Outlet, M8 Series:

Model(s): MB05P1, MB05P2, MB05P3, MB05P4

Panel-Mounted Outlet

Model(s): MB, followed by 03 or 04, followed by P2 or P4, followed by any digit of characters or BLANK, MC, followed by 04, 05 or 08, followed by P2 or P4, followed by any digit of characters or BLANK

Certificate of Compliance

Certificate Number(s):

UL-CA-L516028-081411-
61900202-6

Report Reference:

E516028-20200916

Issue Date:

2026-06-12

Issued to:

Lapp Connector Works Dongguan Co. Ltd.
Room 401, building 2, No.2 3rd North Road, Tingshan square,
Houjie Town, Dongguan, Guangdong, 523943, CN

This certificate confirms that representative samples of:

**CYJV7 - Cable Assemblies and Fittings for Industrial Control
and Signal Distribution Certified for Canada**

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

**CSA C22.2 No. 182.3, 2nd Ed., Issue Date: 2016-07, Revision
Date: 2021-5**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-CA-L516028-081411-61900202-6
Report reference: E516028-20200916
Issue Date: 2026-06-12

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Double Ended Cable Assemblies, Factory Molded-on, M12 Series:

Model(s): Cat. No. MC, followed by 03, 04, 05 or 08, followed by C3, C4 or C5, followed by R or L, followed by S or C, followed by A, B, D, K, L or X, *followed by S or blank, followed by B, followed by any digit of characters or BLANK.*

Female Cable Fitting

Model(s): MB, followed by 03 or 04, followed by C2, followed by any digit of characters or BLANK

Female Cable Fitting, Molded-on, M12 Series, A Code:

Model(s): Cat. No. MC or EPIC MC, followed by 03, 04, 05 or 08, followed by C2, followed by R or L, followed by S, followed by A, *followed by S or blank, followed by B, followed by any digit of characters or BLANK.*

Male Cable Fitting

Model(s): MB, followed by 03 or 04, followed by C1, followed by any digit of characters or BLANK

Male Cable Fitting, Molded-on, M12 Series, A Code:

Model(s): Cat. No. MC or EPIC MC, followed by 03, 04, 05 or 08, followed by C1, followed by R or L, followed by S, followed by A, *followed by S or blank, followed by B, followed by any digit of characters or BLANK.*

Male and Female Cable Fitting, Molded-on, M12 Series K code and L code:

Model(s): Cat. No. MC or EPIC MC, followed by 04, 05, followed by C1 or C2, followed by R or L, followed by C, followed by K or L, *followed by S or blank, followed by any digit of characters or blank.*

Male and Female Cable Fitting, Molded-on, M12 Series X code:

Model(s): Cat. No. MC or EPIC MC, followed by 08, followed by C1 or C2, followed by R or L, followed by S, followed by X, *followed by S or blank, followed by B, followed by any digit of characters or blank.*

Male and Female Cable Fitting, Molded-on, M12 Series, B code:

Model(s): Cat. No. MC or EPIC MC, followed by 05, followed by C1 or C2, followed by R or L, followed by S, followed by B, *followed by S, followed by B, followed by any digit of characters or BLANK.*

Male and Female Cable Fitting, Molded-on, M12 Series, D code:

Model(s): Cat. No. MC or EPIC MC, followed by 04, followed by C1 or C2, followed by R or L, followed by S, followed by D, *followed by S, followed by B, followed by any digit of characters or BLANK.*

Male and Female Cable Fittings, Assembled-on, M12 Series:

Model(s): MC03A1, MC03A2, MC04A1, MC04A2, MC05A1, MC05A1L, MC05A2, MC05A2L, MC08A1, MC08A2

Male and Female Cable Fittings, Assembled-on, M8 Series:

Model(s): MB03A1, MB03A2, MB04A1, MB04A2

Male and Female Cable Fittings, Molded-on, M12 series:

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-CA-L516028-081411-61900202-6
Report reference: E516028-20200916
Issue Date: 2026-06-12

Model(s): MC05C1LCK, MC05C1LCKS, EPIC MC05C1LCK, MC05C1LCL, MC05C1LCLS, EPIC MC05C1LCL, MC05C2LCK, MC05C2LCKS, EPIC MC05C2LCK, MC05C2LCL, MC05C2LCLS, EPIC MC05C2LCL, MC08C1LSX, EPIC MC08C1LSX, MC08C2LSX, EPIC MC08C2LSX

Male and Female Cable Fittings, Molded-on, M8 series:

Model(s): MB05C1, MB05C2

Panel-Mounted Inlet

Model(s): MB, followed by 03 or 04, followed by P1 or P3, followed by any digit of characters or BLANK, MC, followed by 04, 05 or 08, followed by P1 or P3, followed by any digit of characters or BLANK

Panel-Mounted Inlet and Outlet, M12 Series:

Model(s): MC05P1LCK, MC05P1LCL, MC05P2LCK, MC05P2LCL, MC05P3LCK, MC05P3LCL, MC05P4LCK, MC05P4LCL, MC08P2LPX

Panel-Mounted Inlet and Outlet, M8 Series:

Model(s): MB05P1, MB05P2, MB05P3, MB05P4

Panel-Mounted Outlet

Model(s): MB, followed by 03 or 04, followed by P2 or P4, followed by any digit of characters or BLANK, MC, followed by 04, 05 or 08, followed by P2 or P4, followed by any digit of characters or BLANK

Certificate of Compliance

Certificate Number(s):

UL-US-26107529-0

Report Reference:

E516028-20230831

Issue Date:

2026-03-16

Issued to:

Dongguan Cableforce Connector Co Ltd
Room 401, building 2, No.2 3rd North Road, Tingshan square,
Houjie Town, Dongguan, Guangdong, 523943, CN

This certificate confirms that representative samples of:

CYJV - Cable Assemblies and Fittings for Industrial Control and Signal Distribution

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

UL 2238, Edition 3, Issue Date 2018-10-02, Revision Date 2025-12-23

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-US-26107529-0
Report reference: E516028-20230831
Issue Date: 2026-03-16

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Male Molded-on Cable Fitting

Model(s): MC or EPIC MC, followed by 04, followed by C1, followed by AA thru ZZ or 00 thru 99 or blank, followed by S, followed by 000000 thru 999999 or AAAAAA thru ZZZZZZ or blank.

Panel Mounted Outlet

Model(s): MC, followed by 04, followed by P2 or P4, followed by AA thru ZZ or 00 thru 99 or blank, followed by S, followed by 000000 thru 999999 or AAAAAA thru ZZZZZZ or blank.

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



Certificate of Compliance

Certificate Number(s):

UL-CA-2678998-0

Report Reference:

E516028-20230831

Issue Date:

2026-03-16

Issued to:

Dongguan Cableforce Connector Co Ltd
Room 401, building 2, No.2 3rd North Road, Tingshan square,
Houjie Town, Dongguan, Guangdong, 523943, CN

This certificate confirms that representative samples of:

CYJV7 - Cable Assemblies and Fittings for Industrial Control and Signal Distribution Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

CSA C22.2 No. 182.3, 2nd Ed., Issue Date: 2016-07, Revision Date: 2021-5

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-CA-2678998-0
Report reference: E516028-20230831
Issue Date: 2026-03-16

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Male Molded-on Cable Fitting

Model(s): MC or EPIC MC, followed by 04, followed by C1, followed by AA thru ZZ or 00 thru 99 or blank, followed by S, followed by 000000 thru 999999 or AAAAAA thru ZZZZZZ or blank.

Panel Mounted Outlet

Model(s): MC, followed by 04, followed by P2 or P4, followed by AA thru ZZ or 00 thru 99 or blank, followed by S, followed by 000000 thru 999999 or AAAAAA thru ZZZZZZ or blank.

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

